



**CLAIMS**


1. Solid Lipid Nanoparticles of platinum compounds.
2. Solid Lipid Nanoparticles according to claim 1 wherein the platinum
- 5 compounds are platinum complexes.
3. Solid Lipid Nanoparticles according to claim 2, wherein the platinum complex is selected from trans-{bis[trans(diammine)(chloro)platinum (II)(μ-1,6- hexanediamine)]}diammineplatinum tetranitrate salt of formula I

**Formula I**


bis{trans(diammine)(chloro)platinum(II)}μ-(1,16-diamino-7,10-diazaheptadecane-N1,N16) dinitrate salt. 2HNO<sub>3</sub> of formula II,

**Formula II**

bis{trans(diammine)(chloro)platinum(II)}μ-(1,16-diamino-6,11-diazaheptadecane-N1,N16) dinitrate salt. 2HNO<sub>3</sub> of formula III,

**Formula III**


bis{trans(diammine)(chloro)platinum(II)}- $\mu$ -(1,12-diamino-4,9-diazadodecane- $N_1, N_{12}$ ) dinitrate salt.  $2HNO_3$  of formula IV,



5

**Formula IV**

bis{trans(diammine)(chloro)platinum (II)}- $\mu$ -(1,8-diamino-4-azaooctane- $N^1, N^8$ ) dinitrate salt.  $HNO_3$  of formula V,



10

**Formula V**

4. A process for the preparation of Solid Lipid Nanoparticles of claims 1-3, comprising:

- a) preparing a first microemulsion by mixing a molten lipid, a surfactant, and optionally a co-surfactant and the platinum compound aqueous solution;
- b) preparing a solution by mixing a surfactant and optionally a co-surfactant in water, heating to complete solution, preferably at the same melting temperature of the lipid used in a) and adding a co-surfactant;
- c) dispersing the microemulsion obtained in a) into the solution obtained in b) obtaining a multiple microemulsion c);
- d) dispersing the microemulsion obtained in c) in aqueous medium at a

temperature ranging from 0.5°C to 4°C obtaining a dispersion of solid lipid microspheres;

e) washing with aqueous medium through ultrafiltration the obtained lipid microspheres obtained in d) and lyophilizing, optionally in the presence of a bulking agent and of a cryoprotecting agent.

5

5. Pharmaceutical compositions comprising the solid lipid nanoparticles of claims 1-3.

6. A method of treating patients affected by cancer sensitive to platinum complexes which comprises administering to said patients a therapeutically effective amount of the solid lipid nanoparticles of claims 1-3.

10